Author Index

Abbondanza, A., see Parente, A. (1216) 43

Abe, H., Ohtake, A., Yamamoto, S., Satoh, Y., Takayanagi, M., Amaya, Y., Takiguchi, M., Sakuraba, H., Suzuki, Y., Mori, M. and Niimi, H.
Cloning and sequence analysis of a full length cDNA encoding human mitochodrial 3-oxoacyl-CoA thiolase (1216) 304

Abe, T., see Nakano, K. (1216) 360

Akbari, M.T., Kapadi, A., Farmer, M.J., Fitch, N.J.S., McCann, K.P., Kordestani, S., Flink, I.L., Sheppard, M.C. and Ramsden, D.B.
The structure of the human thyroxine binding globulin (TBG) gene (1216) 446

Algranati, I.D., see Nastri, H.G. (1216) 455

Amaldi, F., see Bagni, C. (1216) 475

Amaya, Y., see Abe, H. (1216) 304

Annesi, F., see Bagni, C. (1216) 475

Arias, F.J., see Ferreras, J.M. (1216) 31

Ariga, H., see Imamura, Y. (1216) 273

Ariyama, T., see Nakano, K. (1216) 360

Auffray, Y., see Gansel, X. (1216) 115

Bagni, C., Mariottini, P., Annesi, F. and Amaldi, F.
Human ribosomal protein L4: cloning and sequencing of the cDNA and primary structure of the protein (1216) 475

Bai, S., Spray, D.C. and Burk, R.D.
Identification of proximal and distal regulatory elements of the rat connexin32 gene (1216) 197

Bambara, R.A., see Buiser, R.G. (1216) 20

Barbieri, L., see Ferreras, J.M. (1216) 31

Barbieri, L., see Parente, A. (1216) 43

Barnard, G.F., see Puder, M. (1216) 134

Bateman, J.F., see Fenton, S.P. (1216) 469

Battelli, M.G., see Ferreras, J.M. (1216) 31

Battelli, M.G., see Parente, A. (1216) 43

Beauseigle, D., see Bergeron, D. (1216) 123

Behr, M., see Bohr, U.R.M. (1216) 504

Bellemare, G., see Bergeron, D. (1216) 123

Bendicenti, A., see Palitti, F. (1216) 50

Bensadoun, A., see Lu, S.-C. (1216) 375

Bergeron, D., Beauseigle, D. and Bellemare, G.
Sequence and expression of a gene encoding a protein with RNA-binding and glycine-rich domains in *Brassica napus* (1216) 123

Bode, C., see Drabent, B. (1216) 311

Bohr, U.R.M., Behr, M. and Loos, U.
A heritable point mutation in an extracellular domain of the TSH receptor involved in the interaction with Graves' immunoglobulins (1216) 504

Bolognesi, A., see Parente, A. (1216) 43

Bouthier de la Tour, C., Portemer, C., Forterre, P., Huber, R. and Duguet, M.
ATP-independent DNA topoisomerase from *Fervidobacterium islandicum* (1216) 213

Boutibonnes, P., see Gansel, X. (1216) 115

Bratty, J., Chartrand, P., Ferbeyre, G. and Cedergren, R.
The hammerhead RNA domain, a model ribozyme (1216) 345

Braun, A., Kofler, A., Morawietz, S. and Cleve, H.
Sequence and organization of the human vitamin D-binding protein gene (1216) 385

Buiser, R.G., Bambara, R.A. and Fay, P.J.
Pausing by retroviral DNA polymerases promotes strand transfer from internal regions of RNA donor templates to homopolymeric acceptor templates (1216) 20

Burk, R.D., see Bai, S. (1216) 197

Busiello, V., see Palitti, F. (1216) 50

Camici, G., see Modesti, A. (1216) 369

Campbell, K., Collins, M.D. and East, A.K.
Nucleotide sequence of the gene coding for *Clostridium botulinum* (*Clostridium argentinense*) type G neurotoxin: genealogical comparison with other clostridial neurotoxins (1216) 487

Carotti, D., see Palitti, F. (1216) 50

Casero Jr., R.A., see Fogel-Petrovic, M. (1216) 255

Cedergren, R., see Bratty, J. (1216) 345

Chartrand, P., see Bratty, J. (1216) 345

Chen, L.B., see Puder, M. (1216) 134

Chimoto, M., see Horie, N. (1216) 409

Chinsky, J.M. and Costeas, P.A.
Molecular cloning and analysis of the expression of the E1β subunit of branched chain α-ketoacid dehydrogenase in mice (1216) 499

Clark, J.B., see Cullingford, T.E. (1216) 149

Cleve, H., see Braun, A. (1216) 385

Coggins, J.R., see Graham, L.D. (1216) 417

Collins, M.D., see Campbell, K. (1216) 487

Conway de Macario, E., see Macario, A.J.L. (1216) 495

Costeas, P.A., see Chinsky, J.M. (1216) 499

Cullingford, T.E., Clark, J.B. and Phillips, I.R.
Characterization of cDNAs encoding the rat testis-specific E1α subunit of the pyruvate dehydrogenase complex: comparison of expression of the corresponding mRNA with that of the somatic E1α subunit (1216) 149

Dagorn, J.-C., see Frigerio, J.-M. (1216) 329

Davies, P.L., see DeLuca, C.I. (1216) 81

Davis, M.O., Hata, D.J., Smith, D. and Walker, J.C.
Cloning and sequence of a chicken α-*N*-acetylgalactosaminidase gene (1216) 296

Deed, R.W., see Newton, J.S. (1216) 314

DeLuca, C.I., Davies, P.L., Samis, J.A. and Elce, J.S.
Molecular cloning and bacterial expression of cDNA for rat calpain II 80 kDa subunit (1216) 81

De Luca, P., see Parente, A. (1216) 43

Dessen, P., see Misrahi, M. (1216) 289

Dhar, M.S., see Swanson, K.D. (1216) 145

Di Girolamo, M., see Palitti, F. (1216) 50

Distel, B., see Voorn-Brouwer, T. (1216) 325

Divita, G., see Maury, G. (1216) 1

Dixon, B., Sahely, B., Liu, L. and Pohajdak, B.
Cloning a cDNA from human NK/T cells which codes for an unusual leucine zipper containing protein (1216) 321

Doenecke, D., see Drabent, B. (1216) 311
Drabent, B., Bode, C. and Doenecke, D.
Structure and expression of the mouse testicular H1 histone gene (H1t) (1216) 311
Dugan, C.B., see Macario, A.J.L. (1216) 495
Duguet, M., see Bouthier de la Tour, C. (1216) 213
Dusetti, N.J., see Frigerio, J.-M. (1216) 329

East, A.K., see Campbell, K. (1216) 487
Egawa, K., see Maegawa, H. (1216) 425
Ejiri, S.-i., see Yabuki, T. (1216) 15
Elce, J.S., see DeLuca, C.I. (1216) 81
Emori, Y., see Fujii, G. (1216) 65

Farmer, M.J., see Akbari, M.T. (1216) 446
Fastame, I.G., see Nastri, H.G. (1216) 455
Fay, P.J., see Buiser, R.G. (1216) 20
Fenton, S.P., Lamande, S.R., Hannagan, M., Stacey, A., Jaenisch, R. and Bateman, J.F.
Genomic sequence of mouse COL1A1 encoding the collagen propeptides (1216) 469
Ferbeyre, G., see Bratty, J. (1216) 345
Ferreras, J.M., Barbieri, L., Girbés, T., Battelli, M.G., Rojo, M.A., Arias, F.J., Rocher, M.A., Soriano, F., Mendéz, E. and Stirpe, F.
Distribution and properties of major ribosome-inactivating proteins (28 S rRNA *N*-glycosidases) of the plant *Saponaria officinalis* L. (Caryophyllaceae) (1216) 31
Fitch, N.J.S., see Akbari, M.T. (1216) 446
Flink, I.L., see Akbari, M.T. (1216) 446
Fogel-Petrovic, M., Kramer, D.L., Ganis, B., Casero Jr., R.A. and Porter, C.W.
Cloning and sequence analysis of the gene and cDNA encoding mouse spermidine/spermine N^1-acetyltransferase – a gene uniquely regulated by polyamines and their analogs (1216) 255
Forterre, P., see Bouthier de la Tour, C. (1216) 213
Frigerio, J.-M., Dusetti, N.J., Garrido, P., Dagorn, J.-C. and Iovanna, J.L.
The pancreatitis associated protein III (PAP III), a new member of the PAP gene family (1216) 329
Fujii, G., Tashiro, K., Emori, Y., Saigo, K. and Shiokawa, K.
Molecular cloning of cDNAs for two *Xenopus* proteasome subunits and their expression in adult tissues (1216) 65
Fukui, T., see Yamamoto, J. (1216) 431
Furthmayr, H., see Lankes, W.T. (1216) 479

Ganis, B., see Fogel-Petrovic, M. (1216) 255
Gansel, X., Hartke, A., Boutibonnes, P. and Auffray, Y.
Nucleotide sequence of the *Lactococcus lactis* NCDO 763 (ML3) *rpoD* gene (1216) 115
Gantt, J.S., see Sangwan, V. (1216) 221
Garrido, P., see Frigerio, J.-M. (1216) 329
Gigliano, G.S., see Parente, A. (1216) 43
Gillies, F.M., see Graham, L.D. (1216) 417
Girbés, T., see Ferreras, J.M. (1216) 31
Goldstein, E.S., see Wang, G.L. (1216) 94
Goody, R.S., see Maury, G. (1216) 1
Graham, L.D., Gillies, F.M. and Coggins, J.R.
Over-expression of the yeast multifunctional *arom* protein (1216) 417
Grant, J., see Hainline, B.E. (1216) 460
Gray, D.M., see Peterson, C.A. (1216) 265
Gray, Jr., H.B., see Peterson, C.A. (1216) 265
Guerreiro, P., Neves, A. and Rodrigues-Pousada, C.
Clusters of 5S rRNAs in the intergenic region of ubiquitin genes in *Tetrahymena pyriformis* (1216) 137

Hainline, B.E., Kahlenbeck, D.J., Grant, J. and Strauss, A.W.
Tissue specific and developmental expression of rat long- and medium-chain acyl-CoA dehydrogenases (1216) 460
Hall, L., see Price, N.T. (1216) 170
Hanes, J., Von der Kammer, H., Kristjansson, G.I. and Scheit, K.H.
The complete cDNA coding sequence for the mouse CDEI binding protein (1216) 154
Hannagan, M., see Fenton, S.P. (1216) 469
Hanukoglu, I., see Levi, L. (1216) 342
Harada, N., see Suchi, M. (1216) 293
Hartke, A., see Gansel, X. (1216) 115
Haruta, T., see Maegawa, H. (1216) 425
Harvey, M., see Lavoie, C.A. (1216) 140
Hasegawa, M., see Maegawa, H. (1216) 425
Hashimoto, H., see Nishi, R. (1216) 113
Hassan, H.M., see Schrum, L.W. (1216) 186
Hata, D.J., see Davis, M.O. (1216) 296
Hemrika, W., see Voorn-Brouwer, T. (1216) 325
Hildebrandt, A., see Kruse, L. (1216) 129
Holden, J.A., see Juenke, J.E.M. (1216) 191
Horie, N., Chimoto, M., Nozawa, R. and Takeishi, K.
Characterization of regulatory sequences and nuclear factors that function in cooperation with the promoter of the human thymidylate synthase gene (1216) 409
Huber, R., see Bouthier de la Tour, C. (1216) 213
Husby, G., see Rygg, M. (1216) 402

Ichikawa, A., see Yamamoto, J. (1216) 431
Iguchi-Ariga, S.M.M., see Imamura, Y. (1216) 273
Imamura, Y., Nakagawa, T., Iguchi-Ariga, S.M.M. and Ariga, H.
Transcriptional regulation of the N-*myc* gene: identification of positive regulatory element and its double- and single-stranded DNA binding proteins (1216) 273
Imbach, J.-L., see Maury, G. (1216) 1
Inazawa, J., see Nakano, K. (1216) 360
Iovanna, J.L., see Frigerio, J.-M. (1216) 329
Ishizaki, K., see Ohgiya, S. (1216) 237
Itoh, T., see Yuki, Y. (1216) 335
Izawa, M.
Molecular cloning and sequencing of rat Max cDNA: castration-induced expression of the 2 kb transcript in male accessory sex organs of rats (1216) 492

Jaenisch, R., see Fenton, S.P. (1216) 469
Joshi, J.G., see Swanson, K.D. (1216) 145
Juenke, J.E.M. and Holden, J.A.
The distribution of DNA topoisomerase II isoforms in differentiated adult mouse tissues (1216) 191

Kahlenbeck, D.J., see Hainline, B.E. (1216) 460
Kanechika, R., see Yuki, Y. (1216) 335
Kapadi, A., see Akbari, M.T. (1216) 446
Kashiwagi, A., see Maegawa, H. (1216) 425
Kato, A., see Nishi, R. (1216) 110
Kato, A., see Nishi, R. (1216) 113
Kaufman, D.L., see Lee, D.S. (1216) 157
Kay, J., see Kille, P. (1216) 55
Kern, H., see Knecht, D. (1216) 105
Kidou, S.-i., see Nishi, R. (1216) 110
Kille, P., Kay, J. and Sweeney, G.E.
Analysis of regulatory elements flanking metallothionein genes in Cd-tolerant fish (pike and stone loach) (1216) 55
Knecht, D., Kern, H. and Scherczinger, C.
Bidirectional transcription from actin promoters in *Dictyostelium* (1216) 105
Kobayashi, M., see Maegawa, H. (1216) 425
Kobayashi, O., see Toguri, T. (1216) 165

Koch, Y., see Levi, L. (1216) 342
Kofler, A., see Braun, A. (1216) 385
Kohen, F., see Levi, L. (1216) 342
Kondo, M., Sato, S. and Sutou, S.
Cloning and sequence analysis of cDNA encoding the bovine testis-derived male-enhanced antigen (*Mea*) (1216) 483
Kordestani, S., see Akbari, M.T. (1216) 446
Kornberg, T.B., see Martín-Blanco, E. (1216) 339
Kramer, D.L., see Fogel-Petrovic, M. (1216) 255
Kristjansson, G.I., see Hanes, J. (1216) 154
Kruse, L., Meyer, G. and Hildebrandt, A.
A highly conserved repetitive sequence from *Physarum polycephalum* contains nucleotide arrangements similar to replicator sequences (1216) 129
Kulomaa, M.S., see Kunnas, T.A. (1216) 441
Kunnas, T.A., Wallén, M.J. and Kulomaa, M.S.
Induction of chicken avidin and related mRNAs after bacterial infection (1216) 441

Lamande, S.R., see Fenton, S.P. (1216) 469
Lankes, W.T., Schwartz-Albiez, R. and Furthmayr, H.
Cloning and sequencing of porcine moesin and radixin cDNA and identification of highly conserved domains (1216) 479
Lasko, P.F., see Lavoie, C.A. (1216) 140
Lavoie, C.A., Harvey, M. and Lasko, P.F.
Dbp45A encodes a *Drosophila* DEAD box protein with similarity to a putative yeast helicase involved in ribosome assembly (1216) 140
Lee, D.S., Tian, J., Phan, T. and Kaufman, D.L.
Cloning and sequence analysis of a murine cDNA encoding glutamate decarboxylase (GAD65) (1216) 157
Legerski, R.J., see Peterson, C.A. (1216) 265
Lenvik, T.R., see Sangwan, V. (1216) 221
Levi, L., Hanukoglu, I., Raikhinstein, M., Kohen, F. and Koch, Y.
Cloning of LL5, a novel protein encoding cDNA from a rat pituitary library (1216) 342
Liu, L., see Dixon, B. (1216) 321
Liu, L.-F., Wu, S.-H. and Tam, M.F.
Nucleotide sequence of class-α glutathione *S*-transferases from chicken liver (1216) 332
Liu, Y., Michalopoulos, G.K. and Zarnegar, R.
Molecular cloning and characterization of cDNA encoding mouse hepatocyte growth factor (1216) 299
Loos, U., see Bohr, U.R.M. (1216) 504
Lu, S.-C. and Bensadoun, A.
Identification of the 5′ regulatory elements of avian lipoprotein lipase gene: synergistic effect of multiple factors (1216) 375

Macario, A.J.L., Dugan, C.B. and Conway de Macario, E.
An archaeal *trkA* homolog near *dnaK* and *dnaJ* (1216) 495
Maegawa, H., Kashiwagi, A., Haruta, T., Egawa, K., Ugi, S., Tachikawa-Ide, R., Hasegawa, M., Kobayashi, M. and Shigeta, Y.
Co-expression of mutant and normal human insulin receptors in COS 7 cells (1216) 425
Manao, G., see Modesti, A. (1216) 369
Marhaug, G., see Rygg, M. (1216) 402
Mariottini, P., see Bagni, C. (1216) 475
Marqués, S., Ramos, J.L. and Timmis, K.N.
Analysis of the mRNA structure of the *Pseudomonas putida* TOL *meta* fission pathway operon around the transcription initiation point, the *xyl*TE and the *xyl*FJ regions (1216) 227
Martín-Blanco, E. and Kornberg, T.B.
DR-78, a novel *Drosophila melanogaster* genomic DNA fragment highly homologous to the DNA-binding domain of thyroid hormone-retinoic acid-vitamin D receptor subfamily (1216) 339
Marzocchini, R., see Modesti, A. (1216) 369
Matuda, S., see Nakano, K. (1216) 360
Maury, G., Divita, G., Morvan, F., Imbach, J.-L. and Goody, R.S.
Rapid determination of the affinity of 28- and 14-mer phosphorothioate oligonucleotides for HIV-1 reverse transcriptase by fluorescence spectroscopy (1216) 1
Maximova, P.A.A.V.A. and Pancheva, R.P.
Heat shock and osmotically dependent steps by DNA uptake after *Escherichia coli* electroporation (1216) 286
McCann, K.P., see Akbari, M.T. (1216) 446
Mendéz, E., see Ferreras, J.M. (1216) 31
Meyer, G., see Kruse, L. (1216) 129
Michalopoulos, G.K., see Liu, Y. (1216) 299
Milgrom, E., see Misrahi, M. (1216) 289
Misrahi, M., Venencie, P.-Y., Saugier-Veber, P., Sar, S., Dessen, P. and Milgrom, E.
Structure of the human progesterone receptor gene (1216) 289
Mitchell, E.L.D., see Newton, J.S. (1216) 314
Miyata, T., see Nakano, K. (1216) 360
Modesti, A., Raugei, G., Taddei, N., Marzocchini, R., Vecchi, M., Camici, G., Manao, G. and Ramponi, G.
Chemical synthesis and expression of a gene coding for human muscle acylphosphatase (1216) 369
Moran, T.V. and Walker, J.C.
Molecular cloning of two novel protein kinase genes from *Arabidopsis thaliana* (1216) 9
Morawietz, S., see Braun, A. (1216) 385
Mori, M., see Abe, H. (1216) 304
Morvan, F., see Maury, G. (1216) 1
Murphy, J.J., see Newton, J.S. (1216) 314

Nakagawa, S., see Nakano, K. (1216) 360
Nakagawa, T., see Imamura, Y. (1216) 273
Nakano, K., Matuda, S., Sakamoto, T., Takase, C., Nakagawa, S., Ohta, S., Ariyama, T., Inazawa, J., Abe, T. and Miyata, T.
Human dihydrolipoamide succinyltransferase: cDNA cloning and localization on chromosome 14q24.2–q24.3 (1216) 360
Nastri, H.G., Fastame, I.G. and Algranati, I.D.
Polyamines modulate streptomycin-induced mistranslation in *Escherichia coli* (1216) 455
Neves, A., see Guerreiro, P. (1216) 137
Newton, J.S., Deed, R.W., Mitchell, E.L.D., Murphy, J.J. and Norton, J.D.
A B cell specific immediate early human gene is located on chromosome band 1q31 and encodes an α helical basic phosphoprotein (1216) 314
Niimi, H., see Abe, H. (1216) 304
Nishi, R., Hashimoto, H., Uchimiya, H. and Kato, A.
The primary structure of two proteins from the small ribosomal subunit of rice (1216) 113
Nishi, R., Kidou, S.-i., Uchimiya, H. and Kato, A.
The primary structure of two proteins from the large ribosomal subunit of rice (1216) 110
Nordstoga, K., see Rygg, M. (1216) 402
Norton, J.D., see Newton, J.S. (1216) 314
Nozawa, R., see Horie, N. (1216) 409

Ogawa, K. and Shimizu, T.
cDNA sequence for mouse caltractin (1216) 126
Ohgiya, S., Ishizaki, K. and Shinriki, N.
Molecular cloning of guinea pig CYP1A1: complete primary structure and fast mobility of expressed protein on electrophoresis (1216) 237
Ohta, S., see Nakano, K. (1216) 360
Ohtake, A., see Abe, H. (1216) 304

Palitti, F., Carotti, D., Busiello, V., Bendicenti, A., Strom, R. and Di Girolamo, M.

DNA hypomethylation and differentiation in Friend leukemia cell variants (1216) 50
Pancheva, R.P., see Maximova, P.A.A.V.A. (1216) 286
Parente, A., De Luca, P., Bolognesi, A., Barbieri, L., Battelli, M.G., Abbondanza, A., Sande, M.J.W., Gigliano, G.S., Tazzari, P.L. and Stirpe, F.
Purification and partial characterization of single-chain ribosome-inactivating proteins from the seeds of *Phytolacca dioica* L. (1216) 43
Peters, S.L.M., see Pruijn, G.J.M. (1216) 395
Peterson, C.A., Gray, D.M., Gray, Jr., H.B. and Legerski, R.J.
Evidence for a salt-induced conformational transition in UV-irradiated superhelical PM2 DNA (1216) 265
Phan, T., see Lee, D.S. (1216) 157
Phillips, I.R., see Cullingford, T.E. (1216) 149
Piatigorsky, J., see Tomarev, S.I. (1216) 245
Plaitakis, A., see Shashidharan, P. (1216) 161
Pohajdak, B., see Dixon, B. (1216) 321
Pollard, K.M., see Turley, S.J. (1216) 119
Portemer, C., see Bouthier de la Tour, C. (1216) 213
Porter, C.W., see Fogel-Petrovic, M. (1216) 255
Price, N.T., Hall, L. and Proud, C.G.
Cloning of cDNA for the β-subunit of rabbit translation initiation factor-2 using PCR (1216) 170
Proud, C.G., see Price, N.T. (1216) 170
Pruijn, G.J.M., Wingens, P.A.E.T.M., Peters, S.L.M., Thijssen, J.P.H. and Van Venrooij, W.J.
Ro RNP associated Y RNAs are highly conserved among mammals (1216) 395
Puder, M., Barnard, G.F., Staniunas, R.J., Steele, Jr., G.D. and Chen, L.B.
Nucleotide and deduced amino acid sequence of human ribosomal protein L18 (1216) 134

Radha, V., see Rajendrakumar, G.V. (1216) 205
Raikhinstein, M., see Levi, L. (1216) 342
Rajendrakumar, G.V., Radha, V. and Swarup, G.
Stabilization of a protein-tyrosine phosphatase mRNA upon mitogenic stimulation of T-lymphocytes (1216) 205
Ramos, J.L., see Marqués, S. (1216) 227
Ramponi, G., see Modesti, A. (1216) 369
Ramsden, D.B., see Akbari, M.T. (1216) 446
Raugei, G., see Modesti, A. (1216) 369
Rocher, M.A., see Ferreras, J.M. (1216) 31
Rodrigues-Pousada, C., see Guerreiro, P. (1216) 137
Rojo, M.A., see Ferreras, J.M. (1216) 31
Rygg, M., Nordstoga, K., Husby, G. and Marhaug, G.
Expression of serum amyloid A genes in mink during induction of inflammation and amyloidosis (1216) 402

Sahely, B., see Dixon, B. (1216) 321
Saigo, K., see Fujii, G. (1216) 65
Sakamoto, T., see Nakano, K. (1216) 360
Sakuraba, H., see Abe, H. (1216) 304
Samis, J.A., see DeLuca, C.I. (1216) 81
Sande, M.J.W., see Parente, A. (1216) 43
Sangwan, V., Lenvik, T.R. and Gantt, J.S.
The *Arabidopsis thaliana* ribosomal protein S15 (*rig*) gene (1216) 221
Sar, S., see Misrahi, M. (1216) 289
Sato, S., see Kondo, M. (1216) 483
Satoh, Y., see Abe, H. (1216) 304
Saugier-Veber, P., see Misrahi, M. (1216) 289
Scheit, K.H., see Hanes, J. (1216) 154
Scherczinger, C., see Knecht, D. (1216) 105
Schmidt, G. and Werner, D.
Sequence of a complete murine cDNA reflecting an S phase-prevalent transcript encoding a protein with two types of nucleic acid binding motifs (1216) 317
Schrum, L.W. and Hassan, H.M.
Transcriptional activation of Mn-superoxide dismutase gene (*sodA*) of *Escherichia coli* by $MnCl_2$ (1216) 186
Schwartz-Albiez, R., see Lankes, W.T. (1216) 479
Shashidharan, P. and Plaitakis, A.
Cloning and characterization of a glutamate transporter cDNA from human cerebellum (1216) 161
Sheppard, M.C., see Akbari, M.T. (1216) 446
Shigeta, Y., see Maegawa, H. (1216) 425
Shimizu, T., see Ogawa, K. (1216) 126
Shinriki, N., see Ohgiya, S. (1216) 237
Shiokawa, K., see Fujii, G. (1216) 65
Smith, D., see Davis, M.O. (1216) 296
Soriano, F., see Ferreras, J.M. (1216) 31
Spray, D.C., see Bai, S. (1216) 197
Sprenger, G.A.
Nucleotide sequence of the *Escherichia coli* K-12 transketolase (*tkt*) gene (1216) 307
Stacey, A., see Fenton, S.P. (1216) 469
Staniunas, R.J., see Puder, M. (1216) 134
Steele, Jr., G.D., see Puder, M. (1216) 134
Stirpe, F., see Ferreras, J.M. (1216) 31
Stirpe, F., see Parente, A. (1216) 43
Strauss, A.W., see Hainline, B.E. (1216) 460
Strom, R., see Palitti, F. (1216) 50
Suchi, M., Harada, N., Wada, Y. and Takagi, Y.
Molecular cloning of a cDNA encoding human histidase (1216) 293
Sutou, S., see Kondo, M. (1216) 483
Suzuki, K., see Yamamoto, J. (1216) 431
Suzuki, Y., see Abe, H. (1216) 304
Swanson, K.D., Dhar, M.S. and Joshi, J.G.
The human and bovine 14-3-3η protein mRNAs are highly conserved in both their translated and untranslated regions (1216) 145
Swarup, G., see Rajendrakumar, G.V. (1216) 205
Sweeney, G.E., see Kille, P. (1216) 55

Tabak, H.F., see Voorn-Brouwer, T. (1216) 325
Tachikawa-Ide, R., see Maegawa, H. (1216) 425
Taddei, N., see Modesti, A. (1216) 369
Takagi, Y., see Suchi, M. (1216) 293
Takase, C., see Nakano, K. (1216) 360
Takayanagi, M., see Abe, H. (1216) 304
Takeishi, K., see Horie, N. (1216) 409
Takiguchi, M., see Abe, H. (1216) 304
Tam, M.F., see Liu, L.-F. (1216) 332
Tan, E.M., see Turley, S.J. (1216) 119
Tanaka, S., see Yamamoto, J. (1216) 431
Tashiro, K., see Fujii, G. (1216) 65
Tazzari, P.L., see Parente, A. (1216) 43
Thijssen, J.P.H., see Pruijn, G.J.M. (1216) 395
Tian, J., see Lee, D.S. (1216) 157
Timmis, K.N., see Marqués, S. (1216) 227
Toguri, T., Kobayashi, O. and Umemoto, N.
The cloning of eggplant seedling cDNAs encoding proteins from a novel cytochrome *P*-450 family (CYP76) (1216) 165
Tomarev, S.I., Zinovieva, R.D. and Piatigorsky, J.
Primary structure and lens-specific expression of genes for an intermediate filament protein and a β-tubulin in cephalopods (1216) 245
Tsutsumi, K.-i., see Yabuki, T. (1216) 15
Turley, S.J., Tan, E.M. and Pollard, K.M.
Molecular cloning and sequence analysis of U3 snoRNA-associated mouse fibrillarin (1216) 119

Uchimiya, H., see Nishi, R. (1216) 110
Uchimiya, H., see Nishi, R. (1216) 113
Ugi, S., see Maegawa, H. (1216) 425
Umemoto, N., see Toguri, T. (1216) 165

Van der Leij, I., see Voorn-Brouwer, T. (1216) 325
Van Dyke, M.W., see Wang, J.C. (1216) 73
Van Venrooij, W.J., see Pruijn, G.J.M. (1216) 395
Vecchi, M., see Modesti, A. (1216) 369
Venencie, P.-Y., see Misrahi, M. (1216) 289
Von der Kammer, H., see Hanes, J. (1216) 154
Voorn-Brouwer, T., Van der Leij, I., Hemrika, W., Distel, B. and Tabak, H.F.
Sequence of the *PAS8* gene, the product of which is essential for biogenesis of peroxisomes in *Saccharomyces cerevisiae* (1216) 325

Wada, Y., see Suchi, M. (1216) 293
Walker, J.C., see Davis, M.O. (1216) 296
Walker, J.C., see Moran, T.V. (1216) 9
Wallén, M.J., see Kunnas, T.A. (1216) 441
Wang, G.L. and Goldstein, E.S.
An AP-1 binding site in the upstream region of *DEB-A* is part of a developmentally regulated negative element (1216) 94
Wang, J.C. and Van Dyke, M.W.
Initiator sequences direct downstream promoter binding by human transcription factor IID (1216) 73
Werner, D., see Schmidt, G. (1216) 317
Wingens, P.A.E.T.M., see Pruijn, G.J.M. (1216) 395
Wu, S.-H., see Liu, L.-F. (1216) 332

Yabuki, T., Ejiri, S.-i. and Tsutsumi, K.-i.
Ubiquitous factors that interact simultaneously with two distinct *cis*-elements on the rat aldolase B gene promoter (1216) 15
Yamamoto, J., Fukui, T., Suzuki, K., Tanaka, S., Yatsunami, K. and Ichikawa, A.
Expression and characterization of recombinant mouse mastocytoma histidine decarboxylase (1216) 431
Yamamoto, S., see Abe, H. (1216) 304
Yatsunami, K., see Yamamoto, J. (1216) 431
Yuki, Y., Kanechika, R. and Itoh, T.
Nucleotide sequence of the genes encoding the L3, L4 and L23 equivalent ribosomal proteins from the archaebacterium *Halobacterium halobium* (1216) 335

Zarnegar, R., see Liu, Y. (1216) 299
Zimmerman, S.B.
Macromolecular crowding effects on macromolecular interactions: some implications for genome structure and function (1216) 175
Zinovieva, R.D., see Tomarev, S.I. (1216) 245